	Application No.	Applicant(s)	
Notice of Allowability	09/960,227	GOODMAN ET AL.	/
	Examiner	Art Unit	
	Panyiz Hassanzadoh	1763	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) (NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RICO of the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to 8/26/04. 2. The allowed claim(s) is/are 1-9,11-17,32,33 and 35-37. 3. The drawings filed on 20 September 2001 are accepted by 4. Acknowledgment is made of a claim for foreign priority und a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents international Bureau (PCT Rule 17.2(a)).	(OR REMAINS) CLOSED in the context appropriate communing GHTS. This application is subtant MPEP 1308. The Examiner. The Examiner. The Examiner of the Exami	his application. If not includication will be mailed in due bject to withdrawal from issu	ded e course. THIS ue at the initiative
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" o noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	ENT of this application.		
 A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives 	ted. Note the attached EXAMs reason(s) why the oath or de	IINER'S AMENDMENT or Neclaration is deficient.	NOTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperso 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT F 	Amendment / Comment or in 34(c)) should be written on the e header according to 37 CFR it of BIOLOGICAL MATER	the Office action of drawings in the front (not the 1.121(d). RIAL must be submitted.	
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 8/26/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Sum Paper No./Ma s), 7. ⊠ Examiner's An	mal Patent Application (PTo Imary (PTO-413), ail Date nendment/Comment atement of Reasons for Allo	·

DETAILED ACTION

EX. Amet

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after allowance or after an Office action under Ex Parte Quayle, 25 USPQ 74, 453 O.G. 213 (Comm'r Pat. 1935). Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on 8/26/04 has been entered.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joseph A. Capraro, Jr. on 9/17/04.

The application has been amended as follows:

In the claims:

inserted claim 7 as appears below after claim 6.

Application/Control Number: 09/960,227

Art Unit: 1763

Claim 7 (Original): The RF plasma generator of claim 1 wherein the adjusting the at least one of the frequency of the RF generator and the variable impedance component in the matching network increases the power in the plasma.

Allowable Subject Matter

Claims 1-9, 11-17, 32, 33, 35, 36 and 37 are allowed.

The following is an examiner's statement of reasons for allowance: an RF plasma generator including a matching network comprising at least one <u>variable impedance component</u> <u>providing an electrically controllable variable capacitance</u>, the matching network including a first port that is electromagnetically coupled to the output of an RF generator and a second port that is electromagnetically coupled a load.

Neither of the prior art of the record teaches or suggests a plasma processing apparatus including a variable impedance matching network wherein the matching network includes <u>an</u> <u>variable capacitance which is electrically controllable</u>.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Parviz Hassanzadeh whose telephone number is (571)272-1435. The examiner can normally be reached on Tuesday-Friday.

Art Unit: 1763

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Mills can be reached on (571)272-1439. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

P. Hassanrodel

Parviz Hassanzadeh Primary Examiner Art Unit 1763

September 25, 2004